

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	1434	(implant\$3 OR (in ADJ vivo) OR "in-vivo" OR "in vivo") AND ((tube OR cylindr\$5 OR cylinder OR catheter OR guidewire OR (elongate ADJ2 member)) SAME (solder\$3)) AND wire	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	ON	2007/04/18 11:23
L2	809	(implant\$3 OR (in ADJ vivo) OR "in-vivo" OR "in vivo") AND ((tube OR cylindr\$5 OR cylinder OR catheter OR guidewire OR (elongate ADJ2 member)) WITH (solder\$3)) AND wire	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	ON	2007/04/18 11:23
L3	608	(implant\$3 OR (in ADJ vivo) OR "in-vivo" OR "in vivo") AND ((tube OR catheter OR guidewire) WITH (solder\$3)) AND wire	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	ON	2007/04/18 11:24
L4	351	(implant\$3 OR (in ADJ vivo) OR "in-vivo" OR "in vivo") AND ((tube OR catheter OR guidewire) WITH (solder\$3)) AND wire AND ("600"/\$ OR "604"/\$ OR "607"/\$ OR "606"/\$).ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	ON	2007/04/18 11:31
L5	184	(implant\$3 OR (in ADJ vivo) OR "in-vivo" OR "in vivo") AND (((tube OR catheter OR guidewire OR cylinder OR cylindrical) WITH solder\$3) SAME wire) AND ("600"/\$ OR "604"/\$ OR "607"/\$ OR "606"/\$).ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	ON	2007/04/18 11:44
L6	184	((((tube OR catheter OR guidewire OR cylinder OR cylindrical) WITH solder\$3) SAME wire) AND 5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	ON	2007/04/18 11:44
L9	3	("6712772").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	OFF	2007/04/18 11:39
L10	99	(implant\$3 OR (in ADJ vivo) OR "in-vivo" OR "in vivo") AND (((tube OR catheter OR guidewire OR cylinder OR cylindrical) NEAR5 solder\$3) SAME wire) AND ("600"/\$ OR "604"/\$ OR "607"/\$ OR "606"/\$).ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	ON	2007/04/18 11:44

## EAST Search History

L11	99	((((tube OR catheter OR guidewire OR cylinder OR cylindrical) NEAR5 solder\$3) SAME wire) AND 10	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	ON	2007/04/18 11:49
L12	10	(((((tube OR catheter OR guidewire OR cylinder OR cylindrical) NEAR5 solder\$3) WITH (circuit\$5 OR resistor OR capacit\$5 OR microprocess\$5 OR processor OR electrical OR electronic)) SAME wire) AND (implant\$3 OR (in ADJ vivo) OR "in-vivo" OR "in vivo") AND ("600"/\$ OR "604"/\$ OR "607"/\$ OR "606"/\$).ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	ON	2007/04/18 11:54
L13	10	(((((tube OR catheter OR guidewire OR cylinder OR cylindrical) NEAR5 solder\$3) WITH (circuit\$5 OR resistor OR capacit\$5 OR microprocess\$5 OR processor OR electrical OR electronic)) SAME wire) AND 12	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	ON	2007/04/18 11:52
L14	15	(((((tube OR catheter OR guidewire OR cylinder OR cylindrical) NEAR5 solder\$3) WITH (circuit\$5 OR resistor OR capacit\$5 OR microprocess\$5 OR processor OR electrical OR electronic)) AND ((tube OR catheter OR guidewire OR cylinder OR cylindrical) WITH wire) AND (implant\$3 OR (in ADJ vivo) OR "in-vivo" OR "in vivo")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	ON	2007/04/18 13:54
L15	15	(((((tube OR catheter OR guidewire OR cylinder OR cylindrical) NEAR5 solder\$3) WITH (circuit\$5 OR resistor OR capacit\$5 OR microprocess\$5 OR processor OR electrical OR electronic)) AND ((tube OR catheter OR guidewire OR cylinder OR cylindrical) WITH wire) AND 14	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	ON	2007/04/18 11:59
L16	3	(((((tube OR cylinder OR cylindrical) NEAR5 solder\$3) WITH (circuit\$5 OR electronic OR chip OR board)) AND wire AND (implant\$3 OR (in ADJ vivo) OR "in-vivo" OR "in vivo") AND ("600"/\$ OR "604"/\$ OR "607"/\$ OR "606"/\$).ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	ON	2007/04/18 12:01
L17	9	(((((tube OR cylinder OR cylindrical) NEAR5 solder\$3) WITH (circuit\$5 OR electronic OR chip OR board)) AND ("600"/\$ OR "604"/\$ OR "607"/\$ OR "606"/\$).ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	ON	2007/04/18 13:49

## EAST Search History

L18	9	((tube OR cylinder OR cylindrical) NEAR5 solder\$3) WITH (circuit\$5 OR electronic OR chip OR board)) AND ("600"/\$ OR "604"/\$ OR "607"/\$ OR "606"/\$).ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	ON	2007/04/18 12:02
L19	5	(US-20030100839-\$ or US-20040152999-\$).did. or (US-6712772-\$ or US-6862480-\$).did. or (US-20030100839-\$).did.	US-PGPUB; USPAT; DERWENT	OR	ON	2007/04/18 13:52
L20	3	(hollow) AND 19	US-PGPUB; USPAT; DERWENT	OR	ON	2007/04/18 13:52
L21	7	((tube OR cylinder OR cylindrical) NEAR5 solder\$3) WITH (circuit\$5 OR resistor OR capacit\$5 OR chip OR substrate OR wafer OR electronic)) AND ((tube OR cylinder OR cylindrical) WITH wire) AND (implant\$3 OR (in ADJ vivo) OR "in-vivo" OR "in vivo" OR catheter OR guidewire OR (guide ADJ wire))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	ON	2007/04/18 14:04
L22	7	solder\$3 AND 21	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	ON	2007/04/18 14:35
L23	12	((((tube OR cylinder OR cylindrical) NEAR5 solder\$3) WITH (circuit\$5 OR resistor OR capacit\$5 OR chip OR substrate OR wafer OR electronic)) SAME wire) AND (implant\$3 OR (in ADJ vivo) OR "in-vivo" OR "in vivo" OR catheter OR guidewire OR (guide ADJ wire) OR (pressure NEAR3 (sensor\$3 OR transducer OR monitor\$3 OR sensing OR detect\$5)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	ON	2007/04/18 14:13
L24	12	((((tube OR cylinder OR cylindrical) NEAR5 solder\$3) WITH (circuit\$5 OR resistor OR capacit\$5 OR chip OR substrate OR wafer OR electronic)) SAME wire) AND 23	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	ON	2007/04/18 14:10
L25	306	((((tube OR cylinder OR cylindrical) NEAR5 solder\$3) WITH (circuit\$5 OR resistor OR capacit\$5 OR chip OR substrate OR wafer OR electronic)) SAME wire)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	ON	2007/04/18 14:14

## EAST Search History

L26	201	(((((tube OR cylinder OR cylindrical) NEAR5 solder\$3) WITH (circuit\$5 OR chip OR substrate OR wafer OR electronic)) WITH (wire OR conductor)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	ON	2007/04/18 14:15
L27	3	(((((tube OR cylinder OR cylindrical) NEAR5 solder\$3) WITH (circuit\$5 OR chip OR substrate OR wafer OR electronic)) WITH (wire OR conductor))) AND ("600"/\$ OR "604"/\$ OR "606"/\$ OR "607"/\$ OR "623"/\$). ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	ON	2007/04/18 14:24
L28	7	(((((tube OR cylinder OR cylindrical) NEAR5 solder\$3) WITH (circuit\$5 OR chip OR substrate OR wafer OR electronic)) AND ((tube OR cylinder OR cylindrical) NEAR5 (wire OR conductor))) AND ("600"/\$ OR "604"/\$ OR "606"/\$ OR "607"/\$ OR "623"/\$). ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	ON	2007/04/18 15:58
L29	7	(((((tube OR cylinder OR cylindrical) NEAR5 solder\$3) WITH (circuit\$5 OR chip OR substrate OR wafer OR electronic)) AND 28	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	ON	2007/04/18 14:25
L34	33	(US-20030100839-\$ or US-20040152999-\$ or US-20010009986-\$ or US-20020055764-\$ or US-20060052850-\$).did. or (US-6297723-\$ or US-5037488-\$ or US-5726624-\$ or US-4813421-\$ or US-4807629-\$ or US-4791935-\$ or US-6712772-\$ or US-6862480-\$ or US-4730389-\$ or US-6671554-\$ or US-6463335-\$ or US-6358281-\$ or US-6253111-\$ or US-5851226-\$ or US-5411545-\$ or US-5005587-\$ or US-4502492-\$ or US-6129658-\$ or US-6585660-\$ or US-6572543-\$ or US-5113868-\$ or US-5207103-\$ or US-6974416-\$ or US-6106486-\$ or US-5133714-\$).did. or (US-2816997-\$ or US-3367339-\$).did. or (US-20030100839-\$).did.	US-PGPUB; USPAT; USOCR; DERWENT	OR	ON	2007/04/18 14:35

## EAST Search History

L35	20	solder\$3 AND 34	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	ON	2007/04/18 14:46
L36	2	(US-5037488-\$).did. or (US-2816997-\$).did.	USPAT; USOCR	OR	ON	2007/04/18 14:46
L37	2	solder\$3 AND 36	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	ON	2007/04/18 14:49
L38	6	(US-5037488-\$ or US-4813421-\$ or US-4807629-\$ or US-4791935-\$ or US-4730389-\$).did. or (US-2816997-\$).did.	USPAT; USOCR	OR	ON	2007/04/18 14:47
L39	134	("2886475"   "2916537"   "3057356"   "3226610"   "3349762"   "3358690"   "3478746"   "3593718"   "3758346"   "3799672"   "3902501"   "3979226"   "4009721"   "4036665"   "4140132"   "4191193"   "4201219"   "4202339"   "4252124"   "4269198"   "4376927"   "4379462"   "4399820"   "4407296"   "4413636"   "4432372"   "4437475"   "4444498"   "4467807"   "4481953"   "4485813"   "4487206"   "4516106"   "4523279"   "4554927"   "4600017"   "4603700").PN. OR ("2816997"   "4730389"   "4791935"   "4807629"   "4813421"   "5037488").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2007/04/18 14:48
L40	2	((tube OR cylinder OR cylindrical) NEAR5 solder\$3) AND 39	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	ON	2007/04/18 14:48
L41	22	solder\$3 AND 39	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	ON	2007/04/18 14:49
L42	23	((((tube OR cylinder OR cylindrical) WITH solder\$3) WITH (circuit\$5 OR chip OR substrate OR wafer OR electronic)) AND (wire OR conductor) AND ("600"/\$ OR "604"/\$ OR "606"/\$ OR "607"/\$ OR "623"/\$).ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	ON	2007/04/18 16:00

## EAST Search History

L43	23	((tube OR cylinder OR cylindrical) WITH solder\$3) WITH (circuit\$5 OR chip OR substrate OR wafer OR electronic)) AND 42	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	ON	2007/04/18 16:05
L44	36	((tube OR cylinder OR cylindrical) NEAR5 solder\$3) NEAR5 (circuit\$5 OR chip OR substrate OR board OR "IC" OR electrical OR wafer OR electronic)) AND (implant\$3 OR (in ADJ vivo) OR "in-vivo" OR "in vivo" OR catheter OR guidewire OR (guide ADJ wire))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	ON	2007/04/18 16:07
L45	36	((tube OR cylinder OR cylindrical) NEAR5 solder\$3) NEAR5 (circuit\$5 OR chip OR substrate OR board OR "IC" OR electrical OR wafer OR electronic)) AND 44	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	ON	2007/04/18 16:07